

Doctor \_\_\_\_\_ @ \_\_\_\_\_  
If multiple practices or locations

Patient \_\_\_\_\_ Due Date \_\_\_\_\_

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17

Please circle single units individually and connect splinted units and bridges

**ALL CERAMIC**

- ADT Full Zirconia
- Ultra Translucent Full Zirconia
- Layered Zirconia (PFZ)
- Monolithic Lithium Disilicate
- Layered Lithium Disilicate

**CROWN & BRIDGE**

**Porcelain Fused to Metal**

- Non-Precious
- Semi-Precious (62.5% PD)
- White High Noble\* (49% AU)
- Yellow High Noble (88% AU)
- Post & Core



- Butt Margin
- High Interproximal Struts
- Nubs

**Full Gold**

- 20%  50%\*  60%  80%

**IF INADEQUATE OCCLUSAL SPACE**

- Call Doctor
- Adjust Opposing & Mark
- Reduction Coping
- Metal Occlusal/Metal Strike

**IMPLANTS**

System & Size: \_\_\_\_\_

**Abutments**

- Atlantis Titanium Abutment
- Atlantis Zirconia Abutment
- Company-Specific Titanium
- Company-Specific Zirconia
- In-House Zirconia Abutment

- Gold-Anodize
- Screw-Access Hole on Crown
  - Cement at ADT
  - Doctor to Cement

**Screw-Retained Restorations**

- Screw-Retained PFM
- Screw-Retained FZ
- Screw-Retained PFZ (layered facial cutback)


**REMOVABLES**

- Partial
  - Metal U / L
  - Flexible U / L
- Full Denture
  - Wax Set Up U / L
  - Process & Finish U / L
- Bite Rims
- Custom Tray

\*default option will apply if no selection is made

**SPECIAL INSTRUCTIONS**

- Finish\*
- Bisque Bake
- Frame Try-In



- Shade \_\_\_\_\_
- Stumpf \_\_\_\_\_
- See Emailed Photos
- Custom Shade Appointment

**Occlusion**

- In Contact\*
- Out \_\_\_\_\_ mm
- High
- Light

**NOTES**



Dr. Signature \_\_\_\_\_ License No. \_\_\_\_\_

**FOR LAB USE ONLY**

IMP. U \_\_\_\_\_ L \_\_\_\_\_ TT \_\_\_\_\_ MODELS U \_\_\_\_\_ L \_\_\_\_\_ BITES \_\_\_\_\_ DIES \_\_\_\_\_

FRAMEWORK \_\_\_\_\_ PORC. UNITS \_\_\_\_\_

IMP. COPINGS \_\_\_\_\_ SCREWS \_\_\_\_\_ CLAs \_\_\_\_\_ ANALOG \_\_\_\_\_

Other: \_\_\_\_\_